

Skyline Column Casings Overview Brochure



Column Casing Introduction


Skyline Architectural Aluminium, a brand synonymous with design and quality launches a new range of aluminium column casings.



The Skyline range of aluminium column casings meets all the challenges of hiding unsightly structural construction elements such as steelwork, concrete, timber, and service ducts.

The secret-fix design can be fitted on columns externally or within the building to provide a visually appealing, highly durable and maintenance-free finish. The striking sharp clean lines combined with an almost endless choice of colours is the perfect choice for transforming interior spaces and creating dramatic exterior design features.

Skyline Column Casings provide a robust, ecological solution for low maintenance and lifetime value. The Skyline system is suitable for use on both new build and retrofit applications.



Product Range

The standard column casing range consist of circular casings, from 300mm up to 1000mm diameter, and square casings, from 250x250mm up to 1000x1000mm square. All casings are manufactured using 3mm aluminium sheet.

Circular



300mm to 1000mm

Half-columns

Half-columns are available for use on walls where there is a requirement to conceal building element and service duct between floors. Half-columns can also be used as false columns to match interior design schemes that require symmetry and balance.




Flat extension panels

The innovative Skyline range has been cleverly designed to allow for a modular construction, thereby simplifying the design and installation process. Flat extension panels are available to create elongated columns and wall features.

Bespoke

To provide ultimate versatility for specifiers and designers, Skyline Column Casings can also be specified in bespoke sizes and shapes to meet individual project requirements.

Square



3

Quality & Values



Quality

Combining proven materials, advanced manufacturing, a skilled workforce and more than 50 years of industry experience, Skyline delivers superior quality and innovation.



Skyline Column Casings are manufactured from high quality 3mm thick aluminium sheet.

Our in-house BBA approved powder coating facility plays an integral part in our guality assurance procedure, which enables strict control of our finishing process. The BBA approved polyester powder coating system is available in 26 standard colours, with any BS or RAL colour available to order.

Fire Regulations

Fire rating is a critical factor today. Solid aluminium sheet is classified as non combustible. Powder coated aluminium, Interpon D1000 series and D2000 series have been tested to BS476, parts 6 & 7 and have been deemed to have met the criteria for class 0 building regulation approval.




Features & Benefits

Skyline's versatile secret fix design allows for fixing to wood or steel mullions, providing installers and designers with a quick and reliable way of transforming unsightly structural elements. Each casing in made up of three basic components: Casing, Inner Collar (top & bottom) and infill strip. Colour options include a UniColour option, where all components are the same colour, or a DuoColour option, where two colours can be specified.



250mm top Inner Collar allows for tolerance and adjustment



All fixings concealed for aesthetic effect and security




3mm non-combustable solid aluminium sheet









5

Inner Collar allows for tolerance and adjustment

Circular Column Casing



Inner Collar and Infill Strip. (Su	ubstructure, Mullion Support	and Fixings not included)
A	Casing Diameter (A) (mm)	Collar Diameter (B) (mm)
	300	244
H	400	344
	500	444
	600	544
	700*	644
	800*	744
В	900*	844
	1000*	944


Casing Diameter (A) (mm)	Collar Diameter (B) (mm)
300	244
400	344
500	444
600	544
700*	644
800*	744
900*	844
1000*	944

*All casings 700mm and above are supplied in Quadrants.

Semi Circular Column Casing

Semi Circular Column Casings are supplied in 3m length as standard. The total installed height is approx 3.4m which includes top/bottom collar.

Each casing is supplied complete with: Outer Casing, Top and Bottom Inner Collar and Infill Strip. (Substructure, Mullion Support and Fixings not included)




Semi Circular UniColour - 3m Length

All components supplied in one colour - please specify colour when ordering

	Size (mm)	Code
	300	CC30H/3MPPC
	400	CC40H/3MPPC
	500	CC50H/3MPPC
	600	CC60H/3MPPC
	700	CC70H/3MPPC
	800	CC80H/3MPPC
	900	CC90H/3MPPC
Γ	1000	CC100H/3MPPC

Semi Circular DuoColour - 3m Length

DuoColour - Supplied in two colours, please specify required colour for the Casing and Kit Separately using the codes in the table.



When ordering please specify colour of Casing and Duo Kit seperately using the above codes

Circular UniColour - 3m Length

All components supplied in one colour - please specify colour when ordering



****	ch ordering.	
	Size (mm)	Code
	300	CC30/3MPPC
	400	CC40/3MPPC
	500	CC50/3MPPC
	600	CC60/3MPPC
	700	CC70/3MPPC
	800	CC80/3MPPC
	900	CC90/3MPPC
	1000	CC100/3MPPC

Circular Column Casings are supplied in 3m length as standard. The total

installed height is approx 3.4m which includes top/bottom collar.

Each casing is supplied complete with: Outer Casing, Top and Bottom

Circular DuoColour - 3m Length

DuoColour - Supplied in two colours, please specify required colour for the Casing and Kit Separately using the codes in the table.

 Casing **Duo Kit includes:** Infill strips Top inner collar Bottom inner collar

Size (n	nm)	Casing Code	Duo Kit Code
300		CC30/DC/3MPPC	CC30/KIT/PPC
400		CC40/DC/3MPPC	CC40/KIT/PPC
500		CC50/DC/3MPPC	CC50/KIT/PPC
600		CC60/DC/3MPPC	CC60/KIT/PPC
700		CC70/DC/3MPPC	CC70/KIT/PPC
800		CC80/DC/3MPPC	CC80/KIT/PPC
900		CC90/DC/3MPPC	CC90/KIT/PPC
1000)	CC100/DC/3MPPC	CC100/KIT/PPC

When ordering please specify colour of Casing and Duo Kit seperately using the above codes

Casing Diameter (A) (mm)	Collar Diameter (B) (mm)	Depth (C) (mm)
300	244	160
400	344	210
500	444	260
600	544	310
700*	644	360
800*	744	410
900*	844	460
1000*	944	510

*All casings 700mm and above are supplied in Quadrants.


(mm)	Casing Code	Duo Kit Code
00	CC30H/DC/3MPPC	CC30H/KIT/PPC
00	CC40H/DC/3MPPC	CC40H/KIT/PPC
00	CC50H/DC/3MPPC	CC50H/KIT/PPC
00	CC60H/DC/3MPPC	CC60H/KIT/PPC
00	CC70H/DC/3MPPC	CC70H/KIT/PPC
00	CC80H/DC/3MPPC	CC80H/KIT/PPC
00	CC90H/DC/3MPPC	CC90H/KIT/PPC
000	CC100H/DC/3MPPC	CC100H/KIT/PPC

Square Column Casing

Square Column Casings are supplied in 3m length as standard. The total installed height is approx 3.4m which includes top/bottom collar.

Each casing is supplied complete with: Outer Casing, Top and Bottom






n)	
	·
	р
	В
-	B

*All casings 650x650mm and above are supplied in Quadrants.

Semi Square Column Casing

Semi Square Casings are supplied in 3m length as standard. The total installed height is approx 3.4m which includes top/bottom collar.




Semi Square UniColour - 3m Length All component supplied in one colour - please specify colour when ordering.

Size (mm)	Code
250 x 135	CS25H/3MPPC
350 x 185	CS35H/3MPPC
450 x 235	CS45H/3MPPC
550 x 285	CS55H/3MPPC
650 x 335	CS65H/3MPPC
750 x 385	CS75H/3MPPC
850 x 435	CS85H/3MPPC
1000 x 510	CS100H/3MPPC

Semi Square DuoColour - 3m Length

DuoColour - Supplied in two colours, please specify required colour for the Casing and Kit Separately using the codes in the table.



Square UniColour - 3m Length


All component supplied in one colour - please specify colour when ordering.



5	
Size (mm)	Code
250 x 250	CS25/3MPPC
350 x 350	CS35/3MPPC
450 x 450	CS45/3MPPC
550 x 550	CS55/3MPPC
650 x 650	CS65/3MPPC
750 x 750	CS75/3MPPC
850 x 850	CS85/3MPPC
1000 x 1000	CS100/3MPPC

Square DuoColour - 3m Length

DuoColour - Supplied in two colours, please specify required colour for the Casing and Kit Separately using the codes in the table.



Size (mm)	Casing Code	Duo Kit Code
250 x 250	CS25/DC/3MPPC	CS25/KIT/PPC
350 x 350	CS35/DC/3MPPC	CS35/KIT/PPC
450 x 450	CS45/DC/3MPPC	CS45/KIT/PPC
550 x 550	CS55/DC/3MPPC	CS55/KIT/PPC
650 x 650	CS65/DC/3MPPC	CS65/KIT/PPC
750 x 750	CS75/DC/3MPPC	CS75/KIT/PPC
850 x 850	CS85/DC/3MPPC	CS85/KIT/PPC
1000 x 1000	CS100/DC/3MPPC	CS100/KIT/PPC

When ordering please specify colour of Casing and Duo Kit seperately using the above codes

Each casing is supplied compelte with: Outer Casing, Top and Bottom Inner Collar and Infill Strip. (Substructure, Mullion Support and Fixings not included)

Casing Dimension (A) (mm)	Collar Dimension (B) (mm)	Depth (C) (mm)
250	194	135
350	294	185
450	394	235
550	494	285
650*	594	335
750*	694	385
850*	794	435
1000*	944	510
*All casings (FOV(FOmm and above are supplied in Ouadrants		

*All casings 650x650mm and above are supplied in Quadrants.

(mm)	Casing Code	Duo Kit Code
x 135	CS25H/DC/3MPPC	CS25H/KIT/PPC
x 185	CS35H/DC/3MPPC	CS35H/KIT/PPC
x 235	CS45H/DC/3MPPC	CS45H/KIT/PPC
x 285	CS55H/DC/3MPPC	CS55H/KIT/PPC
x 335	CS65H/DC/3MPPC	CS65H/KIT/PPC
x 385	CS75H/DC/3MPPC	CS75H/KIT/PPC
x 435	CS85H/DC/3MPPC	CS85H/KIT/PPC
x 510	CS100H/DC/3MPPC	CS100H/KIT/PPC

When ordering please specify colour of Casing and Duo Kit seperately using the above codes

Universal Flat Extender Panel





Colours

The Skyline Universal Flat Extender Panel is designed as a modular system for use with the main Column Casings System. The flat extender panels come in 3 standard widths: 500mm, 750mm and 1,000mm, and are supplied in 3m lengths as standard. Each panel comes complete with additional top/bottom inner collar, plus an infill strip. Bespoke sizes can also be made to order.

Code	Description
FP50/3MPPC	Flat Extender Panel 500mm wide
FP75/3MPPC	Flat Extender Panel 750mm wide
FP100/3MPPC	Flat Extender Panel 1000mm wide

Alumasc's Skyline Column Casing products are available in plain mill finish or polyester powder coated using the Raincote range on a BBA approved process. The standard aluminium RAL colour range includes 26 colours to choose from. We have our own state-of-the art in house powder coating plant, so we can offer any additional BS or RAL colour

Colours are produced with a 30% gloss unless otherwise stated.



Colours are reproduced for general guidance only. For exact colour and finish references please contact Alumasc for colour swatch samples and for further information.

Also available...

Fascias & Soffits

Top of the range roof edge details to suit all designs and budgets. Whether you choose from the standard range or bespoke design, the Skyline Fascia System is manufactured from high quality, polyester powder coated aluminium and is available in four bold generic shapes with bespoke designs available to order.

Copings

The Skyline Coping System provides an economical and easily installed capping on upstand parapets to flat or pitched roofs. The strap fixing method avoids penetration of the capping, whilst allowing ventilation over the top of the wall. Skyline Copings are equally suited to retrofit and new build projects.

Window Surrounds

A new and innovative range of modular aluminium window surrounds. Skyline Window Surrounds constitute a complete system that is simple to install, and which offers designers and specifiers a perfect combination of practicality, innovation, aesthetic appeal and low maintenance.

Anti-Climb

Designed with security in mind, preventing unauthorised access to the building roofscape. Skyline Anti-Climb Barriers comprise support brackets and preformed barrier sections. They can be fitted in front of virtually any gutter profile, resulting in a bold architectural feature.

Canopies

For any scheme to maximise its potential, no detail should be viewed as too small to warrant detailed consideration. Skyline Architectural Aluminium Canopies can add that final small detailing to an exterior design scheme

Eco Planters

At a time when there is increasing awareness of the need to create green built environments, Skyline Architectural Aluminium also includes a range of planters designed to allow living plants and shrubs to proliferate in otherwise inhospitable urban settings. In addition to environmental benefits, Skyline Architectural Aluminium Eco Planters also provide an attractive visual feature.

www.alumascwms.co.uk















www.alumascwms.co.uk

AWMS - BURTON LATIMER Station Road Burton Latimer Kettering Northamptonshire NN15 5JP

+44 (0)1536 383 810 info@alumascwms.co.uk www.alumascwms.co.uk





FSC www.fsc.org FSC

MIX Paper from responsible sources FSC[®] C003256