

### Skyline Window Surrounds Overview Brochure



1-811

## Window Surrounds Introduction

Alumasc's Architectural Aluminium brand is synonymous with quality design, innovation and performance. Skyline Window Surrounds is one of a series of product solutions covering all aspects of the building roofline and facade.

## **Product Range**

Skyline Window Surrounds constitute a complete system that is simple to install, and which offers designers and specifiers a perfect combination of practicality, innovation, aesthetic appeal and low maintenance.

A range of standard Skyline Window Pod Kits is available in both Deepline (100mm projection) and Slimline (50mm projection) options. These kits give designers and specifiers a complete package of components, and choice covering a range of window and door opening sizes – which are covered on pages 6 - 9.

A choice of three profile face sizes is available for both Deepline and Slimline kit options: 100mm, 150mm and 200mm.



The Skyline range of aluminium window surrounds offers everything needed for that perfect element of detail to create striking, contemporary architectural facades.

Specifiers and designers can choose from kits of window pods, including solutions for standard windows, multiple storey, and corner applications.


Alternatively, we can manufacture purpose designed solutions to perfectly match your own vision and specification.

Skyline Window Surrounds provide a robust, ecological solution for low maintenance and lifetime value in a choice of systems that are visually attractive and easy to install. Skyline Window Surrounds are suitable for both new build and retrofit applications.








### Deepline



### Slimline







150

200

50

50

## **Quality & Values**



### Quality

Combining proven materials, advanced manufacturing, a skilled workforce and more than 50 years of industry experience, Skyline delivers superior quality and innovation.



Skyline Window Surrounds are manufactured from high quality 2mm thick aluminium sheet.

Our in-house BBA approved powder coating facility plays an integral part in our guality assurance procedure, which enables strict control of our finishing process. The BBA approved polyester powder coating system is available in 26 standard colours, with any BS or RAL colour available to order.



### **Fire Regulations**

Fire rating is a critical factor today. Solid aluminium sheet is classified as non combustible. Powder coated aluminium, Interpon D1000 series and D2000 series have been tested to BS476, parts 6 & 7 and have been deemed to have met the criteria for class 0 building regulation approval.



# Features & Benefits

Skyline Window Pod Kits are offered in a range of standard sizes with a face dimension of 100mm, 150mm or 200mm. The Deepline kits, with a more pronounced 100mm projection, are ideal where a bold, more robustly defined architectural effect is required at openings in the building facade. Slimline kits have a projection of 50mm for a softer, subtle visual effect.

Architectural Aluminium Window Pods combine the functionality of a traditional window with special features of detailing for that ultimate contemporary design aesthetic. Our window pods can add visual interest, variety and colour to a building facade.

#### Innovative Fixing Bracket



- Easy to install complete kits with innovative bracket design that allows for fixing direct to the building façade Robust 3mm thick aluminium bracket
- Eliminates the requirement for costly boxing/joinery
- Wall fixing support brackets with cantilever design and wide fixing surface area for ease of installation



#### **Modular Components**

- Universal Corners
- Flexibility through modular component design solutions
- Available in pre-packets kits see pages 6-9




- Scope for designers and specifiers to make a variety of visual statements from subtle to bold modernism
- Adds visual interest and appeal to the building façade, creating a distinctive architectural design aesthetic
- Equally well suited for new build or retrofit to improve older buildings by breathing new life into tired and dated facades



- Made from 2mm non-combustible aluminium sheet
- Robust powder coated finish
- Long life and low maintenance

## **Deepline Window Pods**






Face (A) (mm)	Projection (mm)	
100	100	
150	100	
200	100	

All components supplied in one colour - please specify colour when ordering.

### **Square Window Pod Kits**



Kit includes: Corners, Lengths & Brackets

#### **Product notes**

- All kits supplied unassembled
- Supplied complete with fixing brackets Fixings not supplied - please refer to
- installation guide for information
- Sealant not supplied Dow Corning 791 recommended, refer to installation guide for information
- Straight lengths can be cut to length on site to suit window size
- Standard window surrounds have a 70mm window reveal, other sizes can be made to order

Window Pod Kit 121		
Product	Max Window Opening (A x B) (mm)	Product Code
Deepline 100	1200 x 1200	WP10/1212PPC
Deepline 150	1200 x 1200	WP15/1212PPC
Deepline 200	1200 x 1200	WP20/1212PPC

The standard range of Skyline Deepline Window Surround Kits is an ideal choice when designers wish to make a strong architectural statement.

The pronounced 100mm projection creates a strong and dramatic visual

effect to the modelling around openings in a building façade.

#### Window Pod Kit 2222 - 2.2m x 2.2m

Product	Max Window Opening (A x B) (mm)	Product Code
Deepline 100	2200 x 2200	WP10/2222PPC
Deepline 150	2200 x 2200	WP15/2222PPC
Deepline 200	2200 x 2200	WP20/2222PPC


Window Pod Kit 3232- 3.2m x 3.2m		
Product	Max Window Opening (A x B) (mm)	Product Code
Deepline 100	3200 x 3200	WP10/3232PPC
Deepline 150	3200 x 3200	WP15/3232PPC
Deepline 200	3200 x 3200	WP20/3232PPC

### **Rectangluar Window Pod Kits**



See product notes page 6

### **Door Pod Kits**



Door Pod Kit 1222- 1.2m x 2.1m			
Product	Max Door Opening (A x B) (mm)	Product Code	
Deepline 100	1200 x 2100	DP10/1222PPC	
Deepline 150	1200 x 2100	DP15/1222PPC	
Deepline 200	1200 x 2100	DP20/1222PPC	
Door Pod Kit 2222- 2.2m x 2.1m			

Door Pod Kit 2222- 2.2m x 2.1m		
Product	Max Door Opening (A x B) (mm)	Product Code
Deepline 100	2200 x 2100	DP10/2222PPC
Deepline 150	2200 x 2100	DP15/2222PPC
Deepline 200	2200 x 2100	DP20/2222PPC

Kit includes: Corners, Lengths & Brackets See product notes page 6

Product Deepline 100 Deepline 150 Deepline 200

712- 0.7m x 1.2m		
	Max Window Opening (A x B) (mm)	Product Code
	700 x 1200	WP10/712PPC
	700 x 1200	WP15/712PPC
	700 x 1200	WP20/712PPC

1217- 1.2m x 1.7m		
	Max Window Opening (A x B) (mm)	Product Code
	1200 x 1700	WP10/1217PPC
	1200 x 1700	WP15/1217PPC
	1200 x 1700	WP20/1217PPC

1222- 1.2m x 2.2m		
	Max Window Opening (A x B) (mm)	Product Code
	1200 x 2200	WP10/1222PPC
	1200 x 2200	WP15/1222PPC
	1200 x 2200	WP20/1222PPC

2232- 2.2m x 3.2m		
	Max Window Opening (A x B) (mm)	Product Code
	2200 x 3200	WP10/2232PPC
	2200 x 3200	WP15/2232PPC
	2200 x 3200	WP20/2232PPC

## Slimline Window Pods



Each Slimline window pod kit is supplied with all necessary components to ensure fast and straightforward installation.


Face

Δ

Skyline Slimline Window Surround Kits are an alternative to the standard Deepline kits when a more subtle visual effect is wanted. The 50mm


projection is markedly less pronounced than the 100mm projection of

Deepline kits, and the overall visual effect is softer.



All components supplied in one colour - please specify colour when ordering.

### Square Window Pod Kits



Kit includes: Corners, Lengths & Brackets

### **Product notes**

- All kits supplied unassembled
- Supplied complete with fixing brackets
  Fixings not supplied please refer to
- installation guide for information
- Sealant not supplied Dow Corning 791 recommended, refer to installation guide for information
- Straight lengths can be cut to length on site to suit window size
- Standard window surrounds have a 70mm window reveal, other sizes can be made to order

Window Pod Kit 121		
Product	Max Window Opening (A x B) (mm)	Product Code
Slimline 100	1200 x 1200	WPS10/1212PPC
Slimline 150	1200 x 1200	WPS15/1212PPC
Slimline 200	1200 x 1200	WPS20/1212PPC

#### Window Pod Kit 2222 - 2.2m x 2.2m


Product	Max Window Opening (A x B) (mm)	Product Code
Slimline 100	2200 x 2200	WPS10/2222PPC
Slimline 150	2200 x 2200	WPS15/2222PPC
Slimline 200	2200 x 2200	WPS20/2222PPC

Window Pod Kit 3232- 3.2m x 3.2m				
Product Max Window Opening (A x B) (mm)		Product Code		
Slimline 100	3200 x 3200	WPS10/3232PPC		
Slimline 150	3200 x 3200	WPS15/3232PPC		
Slimline 200	3200 x 3200	WPS20/3232PPC		

### **Rectangluar Window Pod Kits**



### **Door Pod Kits**



Door Pod Kit 1222- 1.2m x 2.1m				
Product	Product Code			
Slimline 100	1200 x 2100	DPS10/1222PPC		
Slimline 150	1200 x 2100	DPS15/1222PPC		
Slimline 200	1200 x 2100	DPS20/1222PPC		
Door Pod Kit 2222- 2.2m x 2.1m				
Droduct	Max Door Opening (A x P) (mm)	Product Codo		

Door Pod Kit 2222- 2.2m x 2.1m				
Product	Max Door Opening (A x B) (mm)	Product Code		
Slimline 100	2200 x 2100	DPS10/2222PPC		
Slimline 150	2200 x 2100	DPS15/2222PPC		
Slimline 200	2200 x 2100	DPS20/2222PPC		

Kit includes: Corners, Lengths & Brackets See product notes page 8

Product Slimline 100 Slimline 150 Slimline 200


712- 0.7m x 1.2m			
	Max Window Opening (A x B) (mm)	Product Code	
	700 x 1200	WPS10/712PPC	
	700 x 1200	WPS15/712PPC	
	700 x 1200	WPS20/712PPC	

1217- 1.2m x 1.7m			
	Max Window Opening (A x B) (mm)	Product Code	
	1200 x 1700	WPS10/1217PPC	
	1200 x 1700	WPS15/1217PPC	
	1200 x 1700	WPS20/1217PPC	

1222- 1.2m x 2.2m			
	Max Window Opening (A x B) (mm)	Product Code	
	1200 x 2200	WPS10/1222PPC	
	1200 x 2200	WPS15/1222PPC	
	1200 x 2200	WPS20/1222PPC	


2232- 2.2m x 3.2m			
	Max Window Opening (A x B) (mm)	Product Code	
	2200 x 3200	WPS10/2232PPC	
	2200 x 3200	WPS15/2232PPC	
	2200 x 3200	WPS20/2232PPC	

## Modular Component Solutions



Our Skyline Modular Component Solutions offer a further range of choice to specifiers and end-users who wish to create their own window surround designs using standard components sourced individually from our window pod kits.

When ordering components, please be sure to order the correct number of fixing brackets for your installation. We recommend that a bracket is used at each corner and at 500mm maximum intervals (refer to installation instruction for guidance).




(for corner windows)



(for jointing lengths)









### **Fixing Bracket**




-	_			
			-19	
			-	
		1	+	


## 90° Angle (Only required for corner windows)






## Loose Union (For jointing Lengths)






See product notes page 10

### Straight Length



Slimline



### **Product notes**

- Fixings not supplied please refer to installation guide for information
- Sealant not supplied Dow Corning 791 recommended, refer to installation guide for information
- Straight lengths can be cut to length on site to suit window size
- Standard window surrounds have a 70mm window reveal, other sizes can be made to order

			Deepline	Slimline
	Face (A)(mm)	Length (L)(m)	Product Code	Product Code
	100	0.5m	WP10/0.5MPPC	WPS10/0.5MPPC
	100	1.0m	WP10/1MPPC	WPS10/1MPPC
	100	1.5m	WP10/1.5MPPC	WPS10/1.5MPPC
ЧГ	100	2.0m	WP10/2MPPC	WPS10/2MPPC
Length L	100	3.0m	WP10/3MPPC	WPS10/3MPPC
	150	0.5m	WP15/0.5MPPC	WPS15/0.5MPPC
	150	1.0m	WP15/1MPPC	WPS15/1MPPC
	150	1.5m	WP15/1.5MPPC	WPS15/1.5MPPC
	150	2.0m	WP15/2MPPC	WPS15/2MPPC
<u>/_</u>	150	3.0m	WP15/3MPPC	WPS15/3MPPC
	200	0.5m	WP20/0.5MPPC	WPS20/0.5MPPC
	200	1.0m	WP20/1MPPC	WPS20/1MPPC
	200	1.5m	WP20/1.5MPPC	WPS20/1.5MPPC
	200	2.0m	WP20/2MPPC	WPS20/2MPPC
	200	3.0m	WP20/3MPPC	WPS20/3MPPC

#### www.alumascwms.co.uk

	Deepline	Slimline
Face (A)(mm)	Product Code	Product Code
100	WP10/CNRPPC	WPS10/CNRPPC
150	WP15/CNRPPC	WPS15/CNRPPC
200	WP20/CNRPPC	WPS20/CNRPPC

	Deepline	Slimline
Face (A)(mm)	Product Code	Product Code
100	WP10/BKTPPC	WPS10/BKTPPC
150	WP15/BKTPPC	WPS15/BKTPPC
200	WP20/BKTPPC	WPS20/BKTPPC


	Deepline	Slimline
Face (A)(mm)	Product Code	Product Code
100	WP10/90APPC	WPS10/90APPC
150	WP15/90APPC	WPS15/90APPC
200	WP20/90APC	WPS20/90APPC

	Deepline	Slimline
Face (A)(mm)	Product Code	Product Code
100	WP10/JTRPPC	WPS10/JTRPPC
150	WP15/JTRPPC	WPS15/JTRPPC
200	WP20/JTRPPC	WPS20/JTRPPC

## **Bespoke Window Surrounds**

### Bespoke Skyline Architectural Aluminium can make your project truly unique.

The Skyline team is here to guide you from initial concept, through manufacture and onsite consultation, to successful project completion. Those all-important aspects of one-off architectural detailing are taken into account to ensure that Skyline Bespoke Window Surrounds provide the perfect solution, purpose made specifically to suit your project.



We have experience of projects large and small, including one-off self-build projects, regeneration work, social housing, and high-end commercial sector applications.

From concept to reality, Skyline can help realise your vision.

### Making an entrance

However your project is configured, we can manufacture window surrounds that are the perfect fit in terms of performance and aesthetics. The end result is striking and attractively resolved detailing at window and door openings - ideal in new build or refurbishment, and for flat façade or corner applications



### Designed to fit

Smart detailing at balconies and window facades where additional infill panels and innovative detailing can combine to create a pleasing visual aesthetic and weatherproof functionality as part of a fully integrated design solution.



### The perfect solution

Skyline Bespoke Window Surrounds enable you to achieve eye-catching, individualistic architectural detailing around window and door openings. The end result is total purpose-made harmony with visually seamless and clean architectural lines throughout all elements of the construction.



## Colours

Alumasc's Skyline products are available in plain mill finish or polyester powder coated from the BBA approved Raincote range.



## Also in the Skyline range



#### Fascias & Soffits

A full range of standard and bespoke fascia and soffit systems for roofline architecture and edge detailing. The Skyline Fascia System is manufactured from high quality, polyester powder coated aluminium and is available in bold generic shapes with bespoke designs available to order.



#### A range of aluminium column casings specially designed for fitting around columns to conceal unsightly structural elements and service ducts.

**Column Casings** 

Canopies

For any scheme to maximise its potential, no detail should be viewed as too small to warrant detailed consideration. Skyline Architectura Aluminium Canopies can add that final touch to an exterior design scheme.





#### Copings

The Skyline Coping System provides an economical and easily installed capping on upstand parapets to flat or pitched roofs. Available in flat or sloped versions and tested to withstand static pressures of 220mph. Skyline Coping System is a robust solution equally suited to retrofit and new build projects.




#### Anti-Climb

Designed with security in mind, preventing unauthorised access to the building roofscape. Skyline Anti-Climb Barriers comprise support brackets and preformed barrier sections. They can be fitted in front of virtually any gutter profile, resulting in a bold architectural feature.



#### **Eco Planters**

**Skyline Aluminium** Eco Planters are designed to allow living plants and shrubs to proliferate in otherwise inhospitable urban settings. In addition to environmental benefits, Skyline Architectural Aluminium Eco Planters also provide an attractive visual feature.



## www.alumascwms.co.uk

AWMS - BURTON LATIMER Station Road Burton Latimer Kettering Northamptonshire NN15 5JP

+44 (0)1536 383 810 info@alumascwms.co.uk





